

Permit Number _____
Issue Date _____
Extension Date _____

Fee Paid _____
GBBOH _____
GBConCom _____

Great Barrington Board of Health

334 Main Street, Great Barrington, MA 01230

413.528.8310 fax-528.2290

(Revised 4.27.05)

Beaver Conflict Resolution Application and Permit

(Permit fee \$55. This permit is not transferable and is good for 10 consecutive days.)

Property Owner _____ Date _____

Site Address _____

Map and Lot Number _____ Telephone # _____ Fax # _____

Is the problem entirely on your property? Yes No Don't Know

If no, all property owners must consent, please use attached forms.

Other Property Owners _____

Trapper or Consultant _____ License # _____

Type of Complaint (check all that apply)

property flooding septic system flooding road flooding tree damage private well threat

culvert blockage flooding of cropland public water supply other _____

Signature of Applicant _____ Date _____

Response: Site Inspection Referred to DEP (water supply) Referred to DFW ConCom

Comments: _____

Date _____ by _____ Recommendation: _____

Conservation Commission Emergency Certification

(Required for breaching dam or installation of water flow devices)

Permission to breach dam _____

Permission to employ water flow devices _____

Approved by the GBConservation Commission _____ Date _____

10-Day Emergency Beaver Permit

In accordance with and pursuant to provisions contained in Chapter 131 MGL Section 40, 80A and 321 CMR 2.08 and 10, the applicant and his agent may immediately remedy the threat to human health and safety by

Use of Conibear or Cage Traps Breaching of Dams* Install Water Flow Device*

Conditions of Permit: Any disturbance within a wetland, such as breaching a dam or the installation of a water leveling device, shall only be performed with the permission of the Conservation Commission.

Breaching of dams requires a plan to prevent sudden flooding down stream. This permit does not allow applicant or his agent to trespass on private property. See Attached Trapping Regulations. A copy of this permit should be carried on the person doing the work. Contractor or Trapper must provide written report of work done to Board of Health. Other _____

Approved by the GBBOH _____ Date _____

10-Day Emergency Beaver Permit Extension

In accordance with and pursuant to provisions contained in chapter 131 of MGL section 40, 80A, and 321 CMR 2.08 and 10 (Wetlands Protection Act), while awaiting a 30-day extension emergency permit from the Division of Fisheries and Wildlife, applicant may continue to alleviate the emergency as noted above for ten consecutive days.

Approved by the GBBOH _____ Date _____